



OXYMATIC®
Hyperbaric Oxygen Therapy System



Model: OXMH-85



HBOT
Hyperbaric Oxygen Therapy

Feel the oxygen ...



HARD CHAMBERS

Suitable for more demanding customers. Modern design.

Easy to go in and out for older customers. Two big side windows make treatment comfortable.



Models **OXMH-75** size 75x232 cm
 OXMH-85 size 85x236 cm

Technical specification

Max. pressure: 1.5-1.6 ATA

Air flow: 72 litre/minute

Flow of Oxygen: 5 or 10 litre/minute

Voltage: 240V/50Hz

Material: Stainless steel housing, Polycarbonate side windows

Weight: 235 / 262 kg

BIG SIDE WINDOW



OXYMATIC[®]
Hyperbaric Oxygen Therapy System
www.oxyomatic.eu

COMFORTABLE SLIDING DOOR



OXYMATIC[®]
Hyperbaric Oxygen Therapy System
www.oxyomatic.eu

INSIDE CONTROL PANEL



OXYMATIC[®]
Hyperbaric Oxygen Therapy System
www.oxyomatic.eu

SPACIOUS ROOM TO RELAX



OXYMATIC®
Hyperbaric Oxygen Therapy System
www.oxyomatic.eu

OUTSIDE CONTROL PANEL



ALL-IN-ONE OXYGEN GENERATOR WITH COOLER AND COMPRESSOR



OXYMATIC®
Hyperbaric Oxygen Therapy System
www.oxyomatic.eu

NOTES



CONTACT

SALES, TECHNICAL SUPPORT

Import, Responsible entity

NOVARTAG GmbH, 29 Lange Enden Street, 13437 Berlin, Germany

Amtsgericht Berlin Charlottenburg: HRB 222552, USt-ID-Nr.: DE336311816

HOTLINE +49 30 22 38 9119, info@novartag.de

Sales & Distribution, Technical support

ECONOVA, 27 Bieszczadzka Street, 71-042 Szczecin, Poland

VAT ID: 8522113701, STAT. ID: 811176932

HOTLINE +48 600 222 888, office@econova.pl