



OXYMATIC®
Hyperbaric Oxygen Therapy System



Model: OXMS-90



HBOT
Hyperbaric Oxygen Therapy

Feel the oxygen ...



SOFT CHAMBERS

The most popular one. Windows placed on the top and both sides to make treatment comfortable. Easy to install, fold and relocate.



Models

OXMS-70 size 70x232 cm

OXMS-80 size 80x232 cm

OXMS-90 size 90x232 cm

Technical specification

Max. pressure: 1.3 ATA

Flow of Oxygen: 5 or 10 litre/minute

Voltage: 240V/50Hz

Material: Thermoplastic polyurethane (TPU)

Weight: 12 / 13 / 13 kg

WITH BOTTOM SUPPORT ONLY



WITH HAND RAIL SUPPORT



ADDITIONAL HANGERS



EMERGENCY RELEASE VALVES



VIEW FROM THE INSIDE



OXYMATIC®
Hyperbaric Oxygen Therapy System
www.oxyomatic.eu

INSIDE SILENCER



OXYMATIC®
Hyperbaric Oxygen Therapy System
www.oxyomatic.eu

SIDE VIEW



ALL-IN-ONE SYSTEM



3-PART SYSTEM



NOTES



CONTACT

SALES, TECHNICAL SUPPORT

Import, Responsible entity

NOVARTAG GmbH, 29 Lange Enden Street, 13437 Berlin, Germany

Amtsgericht Berlin Charlottenburg: HRB 222552, USt-ID-Nr.: DE336311816

HOTLINE +49 30 22 38 9119, info@novartag.de

Sales & Distribution, Technical support

ECONOVA, 27 Bieszczadzka Street, 71-042 Szczecin, Poland

VAT ID: 8522113701, STAT. ID: 811176932

HOTLINE +48 600 222 888, office@econova.pl